

- [14] R. Kaur, P. Chawla, P. Sahni, and S. Kaur, "Analysis of energy detection and cyclostationary feature detection under fading channels in CRNs," in *Communication and Computing Systems*. London: Taylor & Francis, 2017, pp. 327-334.
- [15] W. M. Jang, "Blind cyclostationary spectrum sensing in cognitive radios," *IEEE Communications Letters*, vol. 18, no. 3, pp. 393-396, 2014.
- [16] N. R. Banavathu and M. Z. A. Khan, "Optimal number of cognitive users in k-out-of-m rule," *IEEE Wireless Communications Letters*, vol. 6, no. 5, pp. 606-609, 2017.



Shuiping Ni <https://orcid.org/0000-0003-0524-367X>

He received M.S. and Ph.D. degrees in School of Electronic Engineering from Beijing University of Posts and Telecommunications in 2004 and 2017, respectively. And He is currently an associate professor at the School of Computer Science and Technology, Henan Polytechnic University. His current research interests include wireless communication and embedded system.



Huigang Chang <https://orcid.org/0000-0002-1067-1786>

He is with the School of Computer Science and Technology from Henan Polytechnic University as a M.S. candidate since 2015. His current research interests include wireless communication and cognitive radio network.



Yuping Xu <https://orcid.org/0000-0001-6481-9320>

She is with the School of Computer Science and Technology from Henan Polytechnic University as a M.S. candidate since 2015. Her current research interest is intelligent measurement and control technology.